




OWNER'S MANUAL

8" MIDRANGE SPEAKER

RS-M84VB / 4Ω



Since 1985
TURKISH ENGINEERING

SPECIFICATIONS

Nominal Diameter	8" / 203mm
Nominal Impedance	4 OHMS
RMS Power Handling	375 Watts
MAX Power Handling	750 Watts
Sensitivity(1w/1m)	96dB
Frequency Response	80~10KHZ
Recommended Lo Pass Crossover	70HZ
Pair or Single	Pair

MOTOR


Voice Coil Diameter	2" / 50.8mm
Voice Coil Former	TL
Winding Material	SV
Cone Material	Non-Pressed Paper
Dustcap Material	Paper
Surround Material	Cloth
Magnet Material	Ferrite
Magnet Weight	57.4oz
Basket Material	Aluminium
Basket Color / Finish	Black
Displacement Volume	0.73L

THIELE & SMALL PARAMETERS


Vas	15.61L
Xmax	5.5 mm
Fs	84.8Hz
Qms	5.764
Qes	0.394
Qts	0.369
Mms	18.942g
Cms	185.923µM/N
BL	9.056 TM
Le	83 uH
Sd	243.16cm2
Re	3.2 Ohms
Mmd	16.762 g

MEASUREMENTS

Overall Diameter	217mm/8.54"
Overall Depth	103mm/4.06"
Front Mount Baffle Cutout	195mm/7.68"
Mounting Depth	90mm/3.54"
Motor Diameter	156mm/6.14"



MEASUREMENTS





**FOR MORE INFORMATION
PLEASE VISIT**

Join Our Community



www.reissaudio.com.tr